Proceedings of the 3rd International Conference on Modern Medicine and Global Health
DOI: 10.54254/2753-8818/68/2025.20338

Research on the Nutritional Secrets of Cereal

Han Zhang[1,a,*]

[1]*University of Wisconsin-Madison, Madison, WI, 53706, USA*
a. Hzhang934@wisc.edu
**corresponding author*

Abstract: Breakfast cereal has gained popularity among many households as it offers a quick and convenient start to the day. However, not all cereals are alike, especially when it comes to their nutritional profiles. As the quality of life improves, people are increasingly concerned about the healthiness of their food. As the quality of life improves, people are becoming more and more concerned about the health of their food, care about the calorie content of food, and the sugar content is also a popular issue that people widely talk about. This essay will delve into the factors that influence the caloric content of cereals, examining a variety of elements such as ingredient composition, added sugars, and other nutritional facts. By analyzing these factors, it will provide advice and insights for making healthier cereal choices that align with nutritional goals. Whether people are seeking a low-calorie option to aid in weight management or a healthier lifestyle, understanding what makes the calories different can help make a wise choice.

Keywords: Cereal, Protein, Nutrition, Health, Calorie.

1. Introduction

This research focuses on the nutritional aspects of food, particularly the relationship between nutrition content and calories. In recent years, significant attention has been directed toward nutritional science, leading to discoveries regarding how food impacts health and disease. Clemens and Van Klinken[1] claim that Oats are rich in beta-glucan, a type of soluble fiber known for lowering cholesterol and helping regulate blood sugar levels. In addition to beta-glucan, oats contain other beneficial compounds such as phenolic acids and avenanthramides, which possess anti-inflammatory and antioxidant properties. These qualities make oats particularly beneficial for managing heart health diabetes, and improving the gut microbiome (S2). Most oats can be eaten simply by heating them with milk or in a microwave. The simple and quick processing method, along with the benefits of oats themselves, makes it a breakfast choice for many American families. According to Zhang et al.[2], Consumers are now seeing an increase in demand for wholemeal varieties of oats, reflecting a growing preference for healthier dietary choices, as many consumers are looking for cereals with extra nutritional value.

Ongoing experiments continue to explore these effects. This essay centers on analyzing data from different cereal brands, examining the influence of protein, fat, and sugar content on cereal calories. Various diagrams and analyses were created using Excel to support the research. The findings can serve as a reference for individuals concerned with calorie intake, helping them select the right type of cereal. This research aims to determine the relative impact of sugar, fat, and protein on the caloric

© 2025 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2753-8818/68/2025.20338

content of breakfast cereals and to evaluate which nutrient contributes most significantly. However, since the research only considers three nutrients, other factors also influence cereal calorie content and health value. Therefore, while informative, these results should not be regarded as the sole determinant of calorie content.

2. Research on the nutritional of cereal

Calorie content can serve as a reference indicator for evaluating the healthiness of oat products(Figure 1). The abundant dietary fiber, protein, and other nutrients in oats have an impact on the calorie content. Additionally, Wolever et al.[3] contend that as processing intensifies, the nutritional quality of food declines. Instant oatmeal with added sugar loses some of its advantages due to processing and added ingredients. According to Pesta and Samuel[4], both fat and protein can significantly affect the calorie content of food. Therefore, in the subsequent analyses, including these two variables for consideration enables a more comprehensive understanding of the relationship between each nutrient and calorie.



Figure 1: Effects of calories producing fat

3. Research methods

A data-set was created to explore the relationships affecting oat calories and the three major nutrients and sugar content by first recording the nutrient profiles of 77 common supermarket grains. These data were privately provided by Professor Curtis in 2024. In the data-set, there are 77 different cereal names. The recording of these data not only helped to reveal the nutritional differences among various cereal products but also showed the positioning of oats within the overall breakfast cereal market. In addition, the relationship between added sugar, degree of processing, and nutritional quality can be further explored by analyzing the nutritional composition of different brands and types. Among these cereal data, an entry for 'Quaker Oatmeal' was found to have a reported carbohydrate content of just 0.001 grams. This value is extremely low and inconsistent with established nutritional data for cereals. According to Evers and O'Brien[5], the primary morphological component of all grains is the starchy endosperm, which is composed of approximately 80% starch. Given this, cereals are inherently rich in carbohydrates, and the carb of a cereal can not be 0.001 grams. To ensure the accuracy and reliability of the analysis, the data for 'Quaker Oatmeal' was excluded from further evaluation. The removal of this illogical data entry maintains the integrity of the analysis and allows for more accurate insights into the nutritional components influencing the calories of cereals.

The original data table contains 76 data groups. All the calorie values are multiples of ten. Also, due to the large amount of data, it is not convenient to intuitively see the connection. So first, group

DOI: 10.54254/2753-8818/68/2025.20338

the cereals with the same calories into one group and then calculate the average sugar content of each group. Use these calories and average sugar content data to create a scatterplot.



Figure 2: The relations od Sugars and calories

The analysis of the scatter plot reveals a strong linear relationship with the regression equation Y=6.99X+60.69, where Y represents calorie content and X denotes sugar content (Figure 2). This equation indicates that as the sugar content increases, there is a corresponding rise in calories, and each unit increase in sugar content results in an approximate increase of 6.99 units of calories. In addition, the higher coefficient of determination, R squared, suggests that the model fits the data well, meaning that the sugar content explains 79% of the calorie variation.

The correlation analysis further showed that the correlation coefficient between the two variables was 0.89, indicating a strong linear relationship. Although the value is large, since the correlation coefficient is negative, it means that the two variables show an inverse relationship, which implies that when sugar content decreases, calories also tend to decrease. This suggests that sugar content has a significant impact on the calories of oats. Moreover, low-sugar oat products are usually accompanied by lower calories, a trend that may be related to the higher proportion of natural ingredients used in low-sugar foods.

To further understand the specifics of the effect of sugar on oat calories, as well as to explore the role of other factors in this, it is necessary to consider the combined effect of multiple variables on calories. Next, by setting sugar, protein, and fat as independent variables and analyzing the data in Excel, it was possible to reveal the varying degrees of their contribution to calories as well as their interactions. For this analysis, first set Sugar, Protein, and Fat as variables 1, 2, and 3, then go to Excel and click on Data Analysis to get the table below.

Multiple linear regression is used to analyze the relationship between calories and sugars, proteins, and fats because it allows the effects of multiple variables to be assessed simultaneously. Assumptions include a linear relationship, independent errors, homoskedasticity, normal error distribution, and absence of multicollinearity. However, the model may face limitations such as failure of linear relationships, neglect of other influences, multicollinearity, the effects of outliers, and risk of overfitting. Nonetheless, this method has important applications in the comparison and prediction of nutrient contributions to calories and can guide food selection and product improvement.

DOI: 10.54254/2753-8818/68/2025.20338

The coefficients of the three variables (sugars, proteins, and fats) and the intercepts given in the table 2 below form the multiple linear regression equation: Y = 2.23057X1 +2.09202X2 + 6.52057X3 +79.5229. Where X1 represents the sugar content, X2 represents the protein content, X3 represents the fat content, and 79.5229 is the intercept. From the equation, the coefficient of variable 3 (Fat) is 6.52, which is much larger than the coefficients of 2.23 and 2.09 for sugar and protein, respectively. This means that fat content has a more significant effect on predicted calories, and as fat content increases, calories will increase more than sugar and protein.

Table 1: The coefficients of the three variables (sugars, proteins, and fats)

	Coefficients
Intercept	79.523
X Variable 1 (Sugar)	2.2305
X Variable 2 (Protein)	2.0920
X Variable 3 (Fat)	6.5205

4. Conclusion

Upon analyzing the nutritional composition of grains, it was discovered that sugar content has a notable impact on calorie levels. Typically, an increase in sugar content is associated with a rise in calories as sugar is a fast-energy-releasing carbohydrate. However, when deeply comparing the effects of different nutrients on calories, the role of fat becomes prominent. According to regression analysis, the influence of fat surpasses that of sugar and protein, contributing more significantly to calorie content. As per Ayogu et al.[6], fat provides 9 kcal per gram while sugar and protein provide 4 kcal per gram. This shows that fat provides much more energy than protein and sugar. Thus, when predicting the total calories of a grain, changes in fat have a greater impact on the overall energy value. This analysis aimed to reveal the relationship between key nutrients (sugars, fats, and proteins) and calories to provide useful insights for people wishing to understand how these components affect the calorific value of food. This understanding has important implications for consumers and food manufacturers, Martini and Menozzi[7] suggested that effective labeling can influence purchasing decisions, leading to a preference for products with lower calories, reduced sugar, and healthier fat content. So not only can these understandings help them make more informed decisions based on nutritional information, such as choosing low-calorie alternatives or improving product formulations, but they can also contribute to the transparency and accuracy of food labeling, which in turn can guide consumers to healthier dietary choices.

In addition, an in-depth understanding of the role of these nutrients can help in designing products that meet specific nutritional needs, as Pang et al.[8] concluded that artificial sweeteners are sugar substitutes that provide sweetness without adding calories, making them popular among dieters and fitness enthusiasts. Replacing sugar with non-nutritive sweeteners can significantly reduce sugar and energy intake in overweight and obese people, contributing to better weight control.

Besides, these findings may also provide a scientific basis for the formulation of nutrition policies and promote the popularization of healthy eating habits. Espinoza et al.[9] note that Nestlé has developed products such as Nido GoldenStart®, a breakfast solution for children who often skip breakfast. The product includes milk, cereal, and fruit to provide essential nutrients and meet some of the daily energy requirements. The development process integrates nutritional guidelines and consumer preferences to ensure that the product meets specific nutritional targets and sensory expectations. This approach not only aims to improve children's nutritional intake but also addresses practical factors such as convenience and taste preferences.

DOI: 10.54254/2753-8818/68/2025.20338

These scientific studies have deepened people's understanding of the nutritional content of food, and people in other fields, such as food production or who have requirements for food screening, can also benefit from them to find food that is truly suitable for them and make rational decisions.

Although this study focused on the effects of sugars, fats, and proteins on the calorie content of cereals, individual analysis of these three nutritional factors may not fully reflect the actual calorie value of the food. Other components in cereal products, such as dietary fiber, minerals, and vitamins, all have important effects on the overall nutritional quality and energy density of the food. For example, Ioniță et al.[10] indicate that dietary fiber not only increases satiety but also slows digestion, which in turn affects the efficiency of calorie absorption. Also, Kennedy et al.[11] suggest that micronutrients such as minerals and vitamins do not directly provide calories, but their role in the body's metabolic processes should not be ignored. These are all factors that may lead to changes in people's assessment of the health value of a food product and the calories of the food itself.

Therefore, future studies should consider a broader range of nutrients and their potential effects on calories and analyze them using more sophisticated statistical methods. For instance the application of multiple regression or structural equation modeling can not only quantify the independent effects of individual nutrients more accurately but also capture the combined effects of interactions between different components on calories. This more comprehensive analytical approach can help provide insights into how various factors work together to affect the nutritional value of food products, thus providing consumers with more scientific dietary advice and the food industry with valuable references for improving formulations.

References

[1] *Clemens R, van Klinken BJ-W. Oats, more than just a whole grain: an introduction. British Journal of Nutrition. 2014;112(S2):S1-S3. doi:10.1017/S0007114514002712*

[2] *Zhang, K.; Dong, R.; Hu, X.; Ren, C.; Li, Y. Oat-Based Foods: Chemical Constituents, Glycemic Index, and the Effect of Processing. Foods 2021, 10, 1304. doi.org/ 10.3390/foods10061304*

[3] *Wolever TMS, Johnson J, Jenkins AL, Campbell JC, Ezatagha A, Chu Y. Impact of oat processing on glycaemic and insulinaemic responses in healthy humans: a randomized clinical trial. British Journal of Nutrition. 2019;121(11):1264-1270. doi:10.1017/S0007114519000370*

[4] *Pesta, D.H., Samuel, V.T. A high-protein diet for reducing body fat: mechanisms and possible caveats. Nutr Metab (Lond) 11, 53 (2014). doi.org/10.1186/1743-7075-11-53*

[5] *Evers A. D., O'Brien L. Blakeney A. B. (1999) Cereal structure and composition. Australian Journal of Agricultural Research 50, 629-650. doi.org/10.1071/AR98158*

[6] *Ayogu, R.N.B., Oshomegie, H. & Udenta, E.A. Energy intake, expenditure and balance, and factors associated with the energy balance of young adults (20–39 years): a retrospective cross-sectional community-based cohort study. BMC Nutr 8, 142 (2022). doi.org/10.1186/s40795-022-00628-2*

[7] *Martini, D.; Menozzi, D. Food Labeling: Analysis, Understanding, and Perception. Nutrients 2021, 13, 268. doi.org/10.3390/nu13010268*

[8] *Pang MD, Goossens GH and Blaak EE (2021) The Impact of Artificial Sweeteners on Body Weight Control and Glucose Homeostasis. Front. Nutr. 7:598340. doi: 10.3389/fnut.2020.598340*

[9] *Espinoza-Orias, N., Cooper, K., Lariani, S. (2018). Integrated Product Development at Nestlé. In: Benetto, E., Gericke, K., Guiton, M. (eds) Designing Sustainable Technologies, Products and Policies. Springer, Cham. doi.org/10.1007/978-3-319-66981-6_50*

[10] *Ioniță-Mîndrican, C.-B.; Ziani, K.; Mititelu, M.; Oprea, E.; Neacșu, S.M.; Moroșan, E.; Dumitrescu, D.-E.; Roșca, A.C.; Drăgănescu, D.; Negrei, C. Therapeutic Benefits and Dietary Restrictions of Fiber Intake: A State of the Art Review. Nutrients 2022, 14, 2641. doi.org/10.3390/nu14132641*

[11] *Kennedy, D.O., Stevenson, E.J., Jackson, P.A. et al. Multivitamins and minerals modulate whole-body energy metabolism and cerebral blood flow during cognitive task performance: a double-blind, randomized, placebo-controlled trial. Nutr Metab (Lond)13, 11 (2016). doi.org/10.1186/s12986-016-0071-4*