Proceedings of ICEGEE 2025 Symposium: Sensor Technology and Multimodal Data Analysis
DOI: 10.54254/2753-8818/2025.AU24392

The Far-Reaching Impact of Climate Change on Coral Reefs

Jinglin Chencao

Fairmont Preparatory Academy Anaheim, California, USA
chencaojinglin@gmail.com

Abstract. Coral reefs are directly impacted by acidifying the oceans and growing sea temperatures, which are caused by human actions, particularly industrial production and deforestation, which have resulted in a considerable increase in greenhouse gas emissions. Because corals expel symbiotic zooxanthellae, rising sea temperatures can cause coral bleaching, which raises the corals' risk of illness and mortality. Coral reefs degrade structurally as a result of ocean acidification, which impairs corals' capacity to form and maintain a calcium carbonate skeleton. Indirect consequences of climate change on coral reefs include altered ocean circulation that throws off nutrient distribution and rising sea levels that alter photosynthesis's light source and cause more sedimentation. That may alter how light is used. Significant socioeconomic effects result from coral reef destruction, especially for tourism and fishing. The tourism sector suffers from the lower quality of the visitor experience in places where coral reefs have been harmed, while fisheries that depend on coral reefs incur decreased catches as a result of diminishing fish stocks. To halt climate change, we must cut greenhouse gas emissions immediately, transition to renewable energy, and create sustainable land use plans. Additionally, local conservation efforts, such as the creation of marine protected zones, were crucial to the preservation and rebuilding of coral reefs. To protect marine biodiversity and the well-being of people throughout the world who depend on coral reefs for their survival and sustenance, these essential ecosystems must be preserved.

Keywords: Climate change, coral reefs, human activities, ocean acidification, socio-economic impacts

1. Introduction

In addition to providing vital services and purses, tourism, and coastline protection, the radial radiated experience from the ground up to a million miles away. Both marine biodiversity and the means of millions of people worldwide depend on these habitats. However, coral's rocks make things tough without prior knowledge, even as climate change accelerates. Ocean acidification, sea fruit consumption, extremely melted climates, and the resilience of coral bodywork are among the factors. Based on the Interactional Panel on Climate Change (IPCC) has only led to a rise in coralization and frontal mortality of coral[1]. These significant exposures are also a result of ocean acidification, which is brought on by an increase in atmospheric carbon, which increases the formation of calcium-carbonated sickery[2]. These changes have socio-economic effects in addition

© 2025 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2753-8818/2025.AU24392

to their effects on coral, particularly on students who are involved in fishing [3, 4]. According to recent estimates, the load of trash publication swings caused by global warming and the purity of protracted currents should result in an increase in the frequency and intensity of tropical cyclones, which would further worsen the pressure on coral rocks [5-6]. The efficacy of protected areas, which are thought to offer resilience to Climate change's consequences is in jeopardy due to these environmental stresses as well [7]. The purpose of this article is to explore the Spimatic change in the rocks of the coral, which explores basic products and explains their socio-economic taxes and possible solutions. This study has the purpose of giving a fuss of the coral in the backdrop of worldwide transformation and the end these thanks of the correct literary.

2. The impact of human activities on greenhouse gases

2.1. Industrial production

Sharp, indoor, industrial and the industrial revolution has been a significant turning point in human history. These activities have a major impact on the atmosphere, particularly when it comes to emissions of greenhouse gases. From the onset of the Industrial Revolution, the atmospheric content of carbon dioxide is up by roughly 47% [8]. A considerable amount of CO_2 emissions is triggered by power stations, machinery, and manufacturing operations. Burning carbon, oil, and natural gas for energy is a primary contributor to CO_2 emissions. For instance, carbon emissions from burning coal pose a hazard to the environment and are responsible for significant emissions. Large volumes of greenhouse gases are also released by numerous industrial processes. For instance, the carbon's league is produced by limestone calcite, a crucial stage in the concentration process.

2.2. Deforestation

Deforestation is a significant contributing element to groundhouse discharges of greenhouse gases. By removing carbon dioxide from the atmosphere through photosynthesis, trees serve as carbon sinks. When forests are cleared for logging, agriculture, or urbanization, the carbon they contain gets released again into the atmosphere. Furthermore, fewer trees result in less absorption of carbon dioxide, which exacerbates the greenhouse impact. 10 to 15% of global output of greenhouse gases is thought to be caused by deforestation [9].

3. The impact of the ocean on coral reefs

3.1. Rising sea temperatures

Ocean warming is a member of the most unambiguous side of climate change on the ocean. Given one consequence of the seas absorbing the heat that greenhouse gases trap, surface temperatures of the oceans are gradually increasing. The average worldwide sea surface temperature has risen by roughly 0.8°C in the last century [10]. Coral reefs have been significantly impacted by the rise in sea surface temperature. Corals are delicate creatures that only tolerate a certain range of temperatures. Corals experience stress when seawater temperatures rise above this range. Coral bleaching is the process by which symbiotic algae (diatoms) that reside in the tissues of corals are expelled, depriving the corals of their primary food and energy supply. The term "bleaching" refers to the whitened coral caused by the absence of zooxanthellae. Coral death may result from persistently high temperatures. Coral bleaching events have become far more frequent and severe in recent

DOI: 10.54254/2753-8818/2025.AU24392

years. For instance, within the past ten years, there have been multiple catastrophic bleaching occurrences at Australia's Great Barrier Reef. Massive coral death occurred as a result of repeated bleaching events that impacted vast portions of the reef in 2016 and 2017 [11].

3.2. Ocean acidification

Rising ocean pH is a further significant consequence of atmospheric warming on the oceans. The oceans absorb a significant amount of the rising atmospheric concentration of CO_2. When CO_2 dissolves in seawater and combines with water molecules, carbonic acid (H_2CO_3) is produced. The ocean's pH decreases as a result of this process, making it more acidic. The ocean's pH has decreased by roughly 0.1 units and its acidity has grown by almost 30% since the Industrial Revolution [12]. Coral reefs have suffered as a result of this alteration in water chemistry. Calcium carbonate ($CaCO_3$), which is created when calcium ions (Ca^{2+}) and carbonate ions (CO^{32-}) combine in seawater, makes up the hard exoskeleton of corals. However, the availability of carbonate ions declines in saltwater which is more acidic. Corals have a harder time forming and maintaining their skeletons as a result. Coral reef erosion is a result of ocean acidification over time. Waves, storms, and other natural factors can physically harm coral skeletons, making them weaker. Furthermore, many animals that depend on coral reefs for food and habitat may be impacted by acidification, which slows down coral development and upsets the ecosystems' delicate balance.

4. Climate change impact on coral reefs

4.1. Coral bleaching and mortality

As previously stated, increasing water temperatures are a direct cause of coral bleaching. Additionally, coral bleaching raises their mortality risk. In addition to depriving corals of their main energy source, the loss of zooxanthellae increases their susceptibility to illness and other environmental stresses. Corals' ability to obtain vital nutrients is hampered by the disappearance of symbiotic algae, which lowers their resilience and general health. Events of coral bleaching are becoming more frequent and widespread worldwide. Frequent bleaching events have caused extensive coral death and, eventually, the devastation of entire coral reef ecosystems in certain places. For instance, the vegetation protection of a few Caribbean coral reefs has suffered significant losses due to recurrent bleaching events and related diseases [13]. Due to devastating bleaching events in recent decades, coral cover has decreased by nearly 50% in certain areas of the Great Barrier Reef [11]. The livelihoods of local communities who rely on coral reef ecosystems for food, tourism, and coastal protection are similarly impacted by these occurrences, which also harm the marine biodiversity that depends on healthy coral reefs. Furthermore, climate change-exacerbated extreme weather events, like stronger hurricanes and typhoons, have further harmed delicate coral systems. When bleaching and these occurrences occur together, corals have little time to recover, which leads to the irreversible collapse of many reef ecosystems. According to scientists, if global warming keeps up its current pace, bleaching episodes might occur annually on coral reefs worldwide, significantly reducing their capacity to rebuild and support marine life.

4.2. Increased susceptibility to diseases

In addition to causing coral bleaching, warmer sea temperatures also impair the coral's defenses, leaving it more vulnerable to illness. Under stress, corals are more susceptible to infection by

DOI: 10.54254/2753-8818/2025.AU24392

pathogens such as bacteria, fungi, and viruses. The degradation of coral reefs is accelerated by the rapid spread of diseases like yellow spots, black bands, and white bands in warmer waters. Coral reefs can suffer greatly from these illnesses. They cause coral structures to collapse and kill coral polyps. Reef decline is exacerbated when entire coral colonies are eradicated. For instance, elevated seawater temperatures and coral stress have been connected to outbreaks of white band disease on the Great Barrier Reef [14]. Similarly, black band sickness, which is brought on by a microbe that spreads warmth, damages Coral Caribbean rocks and the Peace. Additionally, human activities like superheroes and polarization exacerbate the issue by lowering coral health and increasing sensitivity. Excessive nutrients from gunshot discharge, industrial contamination, and farm flow can all contribute to the spread of the algae. For resources and space, these albes compete with the corals. The bodies struggle more to recover from epidemics and health diseases as a result of this additional stress. Due to the combined impacts of the disease and money laundering, many coral rocks are in decline. As service gas emissions, water quality and coral rock regions continue to deteriorate at a startling rate without precise data. To help mitigate the harm caused by climate change and preserve these ecosystems for future generations, sustainable storage and management have become crucial.

4.3. Structural degradation

Physical damage from storms and ocean acidification is what causes the structural degradation of the coral work rocks. To maintain the overall integrity of the cliff, aisy makes it more difficult for the corals to train and maintain their skeletons. Because it is more difficult for delicate rocks to survive during storms and waves, the coral ecosystem is harmed. Coral reefs not only contribute to ocean acidification but also have the potential to intensify and increase the frequency of climate change-related extreme weather events like hurricanes and tornadoes. Torales and distributions are destroyed by these twists, which have the ability to do significant harm to rocks. Due to these structural damages, many creatures that rely on coral schools for their survival are displacing their natural habitat.

5. Climate change's indirect impact on coral reefs

5.1. Modifications to ocean circulation

Climate change is leading to changes in ocean circulation models, and these changes will also have an impact on the distribution of nutrients in the oceans. Underwater rock development and survival depend on a constant supply of nutrients. The regular flow of nutrients may be disrupted by variations in ocean circulation, resulting in an overabundance of some nutrients and foods in others. Since elk are a vital supplier of nutrients for coral rocks, their well-being can have an impact on ocean expansion (inclo). El Niño may weaken the elevation and restrict nutrient corals' access. Developing coral trash can have an impact on products and organizations that rely on it.

5.2. Shift in sea level

Another outcome of climate change that triggers coral reefs is rising sea levels. The amount of light needed by the algae in the algain wood will change as the water level rises deeper and deeper into coral-acquisition rocks. The coral cannot live if the water is too deep since it will not receive enough light. Additionally, sea level rise speeds up the Customs seat cost. An excessive amount of seaman may cling to the coral's rocks, blocking the sun and preventing the corals from producing food.

DOI: 10.54254/2753-8818/2025.AU24392

Coral's ability to survive, particularly in shallow areas, can be seriously threatened by the combination of silt and rising sea levels.

6. Socio-economic impacts of coral reef degradation

6.1. Fisheries

For many different kinds of fish, coral reefs are vital ecosystems. Many coastal communities worldwide rely on reef-related fisheries for their livelihoods. Fish can find food, shelter, and breeding grounds in coral reefs. Fish numbers decrease when coral reefs deteriorate. Fish catches may decrease as a result, which would have an impact on local populations' food security and fishermen's earnings. Fisheries have already been significantly impacted in certain places by the devastation of reefs. For instance, the loss of coral reefs has reduced the amount of fish available in the Pacific islands, where subsistence fishing is the initial source of revenue for a lot of folks. As a result, some fishermen are now forced to travel great distances to catch fish or find alternative sources of income [15].

6.2. Tourism

Millions of tourists visit coral reefs every year, making them popular tourist destinations. Beach tourism, scuba diving, and snorkeling are all made possible by the biodiversity and beauty of coral reefs. Significant tourism-related income boosts local economies in nations and areas with healthy coral reefs. However, the quality of the visitor experience decreases as a result of climate change-induced coral reef damage. A decline in tourism earnings could result from fewer visitors visiting regions with damaged coral reefs. Other industries, like lodging, dining, and transportation, may be impacted. For instance, the Maldives' economy, which depends heavily on tourism, may be significantly impacted by the degradation of coral reefs brought on by climate change [16].

7. Conclusion

The weather and climate are complicated and severe because of coral rocks. Human activities like fuel burning and industrial deformation, which raise greenhouse gas emissions, are to blame for the warming of the environment. The coral rocks' increased sensitivity to structural degradation and adjustment is a direct result of the growth that has followed ocean temperatures. The problems of the coral's roots are made worse by rising sea levels and other indirect consequences of shifts, equivalent to modifications in ocean circulation. The protection of these habitats is hampered by socioeconomic rago incorrectness, especially in the tourism industry, especially in the areas of fishing and tourism. It was imperative that the world adopt new power regulations and create sustainable energy in order to adapt to the changing climate of Serre gasses. Additionally, it is possible to preserve and regenerate the current coral rocks. By practicing these actions, future rejected biodiversity and ecological features are considered for future generations. The safety of food and coral reefs is vital to millions of people around the world, so protecting coral reefs is essential to the health of the oceans.

References

[1] Intergovernmental Panel on Climate Change (IPCC). (2023). Climate Change 2023: Synthesis Report of the Sixth Assessment Report (AR6). https: //www.ipcc.ch/report/ar6/syr/

DOI: 10.54254/2753-8818/2025.AU24392

[2] Doney, Scott C., Busch, D. Shallin, Cooley, Sarah R., & Kroeker, Kristy J. (2020). The impacts of ocean acidification on marine ecosystems and reliant human communities. Annual Review of Marine Science, 12, 121-145. https: //doi.org/10.1146/annurev-marine-010419-010658
[3] Teh, Lydia S. L., Teh, Louise C. L., & Sumaila, U. Rashid. (2013). Global economic value of coral reef tourism. Marine Policy, 40, 21-28. https: //doi.org/10.1016/j.marpol.2012.12.007
[4] United Nations Conference on Trade and Development (UNCTAD). (2021). The ocean economy in small island developing states. United Nations. https: //unctad.org/system/files/official-document/ditctncd2021d1_en.pdf
[5] Hughes, Terry P., Kerry, J. T., Álvarez-Noriega, Mariana, Álvarez-Romero, Jorge G., Anderson, Kristen D., Baird, Andrew H., ... & Wilson, Shaun K. (2018). Global warming transforms coral reef assemblages. Nature, 556(7702), 492-496. https: //doi.org/10.1038/s41586-018-0041-2
[6] Knutson, Thomas R., Camargo, Suzana J., Chan, Johnny C. L., Emanuel, Kerry, Ho, Chang-Hoi, Kossin, James P., ... & Wu, Liguang. (2021). Tropical cyclones and climate change assessment. Bulletin of the American Meteorological Society, 102(1), E1-E41. https: //doi.org/10.1175/BAMS-D-20-0194.1
[7] Bruno, John F., Bates, Amanda E., Cacciapaglia, Carlo, Pike, Eric P., Amstrup, Steven C., van Hooidonk, Ruben, ... & Aronson, Richard B. (2019). Climate change threatens the world's marine protected areas. Nature Climate Change, 9(7), 499-503. https: //doi.org/10.1038/s41558-019-0502-0
[8] Le Quéré, C., Andrew, R. M., Canadell, J. G., Sitch, S., Korsbakken, J. I., Peters, G. P., Manning, A. C., Boden, T. A., Tans, P. P., Houghton, R. A., & Keeling, R. F. (2020). Global carbon budget 2020. Earth System Science Data, 12(4), 3269 - 3340. https: //doi.org/10.5194/essd - 12 - 3269 - 2020
[9] Houghton, R. A. (2019). The annual net flux of carbon to the atmosphere from changes in land use 1850 - 2015. Biogeosciences, 16(11), 2285 - 2298. https: //doi.org/10.5194/bg - 16 - 2285 - 2019
[10] Intergovernmental Panel on Climate Change (IPCC). (2021). Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Masson - Delmotte, V., Zhai, P., Pirani, A., Connors, S. L., Péan, C., Berger, S., Caud, N., Chen, Y., Goldfarb, L., Gomis, M. I., Huang, M., Leitzell, K., Lonnoy, E., Matthews, J. B. R., Maycock, A. C., Waterfield, T., Yelekçi, O., Yu, R., & Zhou, B. (Eds.)]. Cambridge University Press.
[11] Hughes, T. P., Kerry, J. T., Álvarez - Nogales, S., Anderson, K. D., Baird, A. H., Babcock, R. C., … van Hooidonk, R. (2017). Global warming and recurrent mass bleaching of corals. Nature, 543(7643), 373 - 377. https: //doi.org/10.1038/nature21707
[12] Doney, S. C., Fabry, V. J., Feely, R. A., & Kleypas, J. A. (2009). Ocean acidification: the other CO2 problem. Annual Review of Marine Science, 1, 169 - 192. https: //doi.org/10.1146/annurev.marine.010908.163834
[13] Gardner, T. A., Côté, I. M., Gill, J. A., Grant, A., & Watkinson, A. R. (2003). Long - term region - wide declines in Caribbean corals. Science, 301(5635), 958 - 960. https: //doi.org/10.1126/science.1085706
[14] Spalding, M. D., Ravilious, C., & Green, E. P. (2017). World atlas of coral reefs. University of California Press.
[15] Bell, J. D., Galzin, R., & Pollnac, R. B. (2004). Impacts of climate change on coral reef fisheries. In R. A. Myers, J. A. Hutchings, & N. J. Barrowman (Eds.), Fisheries oceanography: an integrative approach to fisheries ecology and management, Blackwell Science. (pp. 301 - 319).
[16] Mcleod, E., Chausson, J., & Buxton, R. (2009). A framework for assessing the vulnerability of coral reef - based tourism to climate change. Environmental Science & Policy, 12(8), 974 - 988. https: //doi.org/10.1016/j.envsci.2009.06.005