Proceedings of CONF-MPCS 2026 Symposium: Theoretic Physics and Plasma Physics
DOI: 10.54254/2753-8818/2026.DL33848

Progress in Fluid Dynamics Optimization for Automotive Exterior Design

Zichen Chang

Kunming Qinmiao School, Kunming, China
kunming@bibs.com.cn

Abstract. As the automobile industry has increasing demands on fuel saving and environmental protection, fluid dynamics is becoming more important to the outside of vehicles. The combination CFD simulations, use of wind tunnels, etc could give an estimation for the airflow, pressure gradient information, occurrences of turbulence at cars body surfaces areas so as to decrease both car's total drag and its lift. Nowadays they go for smooth curves and dynamic grille shutters and tail wings to cut down on how bumpy it feels at top speeds. Additionally, it is necessary to have something that unifies polished lowering drag aspects and controls temperature together in furthering the cause of multivariate coupling improvements. Recently the addition of AI and Parametric framework have greatly improved on the productivity as well as precision on the aerodynamic forms. For the future, there are expected to involve more Instantaneous Aerodynamic Feedback Architectures using Biomimicry design ideas in order to achieve smarter and better aerodynamic performances. At the same time, future trends include adaptive aerodynamics and bio-inspired designs that dynamically respond to airflow conditions.

Keywords: Computational Fluid Dynamics (CFD), Automotive Aerodynamics, Drag Reduction, Vehicle Exterior Design, Adaptive Aerodynamics

1. Introduction

Automobile Industry should start acting for improvement of vehicles as automobile industries are taking into account on energy and more environmental issues. At highway speeds, it is aerodynamic drag that becomes the main resistance [1]. Mechanical friction exceeds a certain speed. Aerodynamic plays a crucial role in vehicle performance, directly affecting fuel efficiency, stability, and energy consumption [2]. Styling and aero were done independently [3], usually ending up with pretty but aerodynamically wasteful things that used more fuel. Recently, CFD has good performance at modeling the air flow over a car shape when first designing it so there's much less reliance on costly wind tunnels and this speeds things up [4]. As for new energy vehicles whose distance depends on the storage of batteries,the smaller the drag coefficient(Cd),the more efficient the travel would be. With markets moving away from internal combustion engines and towards electrified drivetrains, getting good aerodynamic performance without compromising on looks is now the major roadblock in car exteriors engineering.

© 2026 The Authors. This is an open access article distributed under the terms of the Creative Commons Attribution License 4.0 (https://creativecommons.org/licenses/by/4.0/).

DOI: 10.54254/2753-8818/2026.DL33848

The paper on applying and enhancing fluids related to car's outer part says that it offers full framework for all kinds of wind-styling. The text talks about the application of CFD numerical model methods in automobile bodies, looks at major problems and tactics met when doing aerodynamic tweaking on different sorts of vehicles [5]. Using some pretty nifty CFD simulation programs looking at flows over things like the front grille, sides mirrors, lower chassis assemblies and rear winglets trying to see if it makes any different on the total of cars drag and lift factor. Integration of Claymodel wind tunnel tests and Numerical Modellings gives us reliable benchmarks for evaluation on level of Simulation Accuracies which can help with Engineering Operations. With the increasing popularity of new energy vehicles, the requirements for low drag in battery-electric and hybrid electric cars have been investigated, along with methods to improve aerodynamic performance. Besides, the author finds new method to combine aesthetic design with aerodynamic optimization, improving the aerodynamics while maintaining the car brands characteristic as well as looks and finally provide a practical approach that achieving maximum performance with good looking for auto's from shape.

Concerning investigation about the fluid dynamic application in automotive exterior engineering combine aerodynamic basic theories with automotive design aesthetics and make this field wider in terms of vehicle engineering concept and deeper knowledge on complex flow pattern outside car body including some important issues such as pressure gradient value, boundary layer separation, vortices formation process [1]. The application of different turbulence models, boundary conditions, and meshing strategies can enhance the accuracy of CFD models used in external vehicle aerodynamics [4]. A quantitative correlation between styling metrics and aerodynamic performance has been established to evaluate flow field variations induced by design changes. Also it gives rise to the foundation of parametric aerodynamic refinement theory, pushing automobile design move away from intuition and towards data [6]: Academic wise, from an engineer's view point, all this work might be incorporated to some new creation procedure at automobile manufacture factory for example during the styling process, when it is cheap and easy to make a change. Use cfd driven virtual prototype system for many prototype design systems so no more wind tunnels and also do not need to make an actual model of a prototype system. as for the electric cars specifically suggested low-drag designs are effective measures to improve driving range, product marketability as well as national energy saving and environmental protection. Moreover, it has set up aerodynamic optimization procedure and standards which will be beneficial for Chinese car enterprises especially, aiding their resolving of aerodynamic design difficulty and advancing entire industries technology development.

2. Fundamental principles of vehicle aerodynamics

It looks into the improvement and refinement of automotive exterior engineering's use of fluid dynamics. Based on basic aerodynamic principles, its main purpose is to accurately express the connection between air current and vehicle outer part. Vital numbers like drag coefficient (Cd)lift coefficient, side force coefficient affect fuel usage, high speed equilibrium and how windy it is when moving around. In the old days aerodynamic design relied mostly on experience and wind tunnels, no real theory. Along with the development of CFD, numerical modeling became the major instrument and it enabled good prediction of complicated flow fields as well as directing form improvement. The designs right now is about the better smooth curves for aerodynamic and a better angle for front [3].The shape of a vehicle significantly influences aerodynamic efficiency, where streamlined designs reduce drag while sharp edges increase turbulence [5].This is because the shape of a vehicle significantly influences aerodynamic efficiency, where streamlined designs reduce drag

DOI: 10.54254/2753-8818/2026.DL33848

while sharp edges increase turbulence [2] .Thus controlled roof that goes backwards: Frontal Geometry tell you when it started to separate and makes Vortex wake more powerful ,underneath make parts Turbulent less helping underbody going fast making downforce go lower: Proactive aerodynamics: Adjustable Rear Wing [7], Grille Opening Vary Flow Path For Equilibrium Drag And Downforce In Different Driving Condition: There's some more mixing between multi criteria optimization routs and ML techniques: balancing how it looks with everything else [8]: Though it's very much tuned down, wind tunnel simulation still needs to be done in those extreme instance. Path includes smart, reactive bodies that are able to rapidly change forms based off environment however better powers used and controlled with more fluid dynamic theory advancement:

3. Current research on automotive aerodynamic optimization

3.1. International research on automotive aerodynamics

As global automotive industry develops and there are more problems about power use and ecological footprints of cars, improving aerodynamics through fluid mechanics is becoming more important for designing outside parts of cars. The global academic world has mostly used CFD to polish bodies and reduce drag in order to produce dynamic aerodynamic solutions that have improved fuel economy, reduced pollution and made cars more responsive. Kamal et al. thoroughly reviews how properties like front forms, roof slopes and rear end, underbody smoothing etc., affect flow patterns and drag factors in all cars class. And the result is it can allow accurate predict of what an airplane will do way out there and when it's being made. Much cheaper than a wind tunnel Furthermore with sedans, SUVs and performance cars to confirm that CFD has a role as unifier of seeing and blowing. Pietchna researched how to use a car on highway like deployment wings, dynamic grille shutter unit, adjustable height unit, movable deflector air divider in such systems parts get modified mechanically according to current variables like velocity, deceleration and wheele position and this sort of system is responsive in different scenarios. Highspeed on high speed, low drag on low speed fast temp rise & fall for brakes -- much better - than cost and also, Piechna et al. did an integrated analysis and attempted at making a different kind of the active compound: They found that coordinating a bunch of different regulators together was better than just using one single unit. It turned out that it was very important for sensor accuracy and actuator rapid responses as well as regulation software sharp, also mixed active aerodynamics with vehicle stability management system would be fully improved. All this means is some big stuff in car engineering: more aerodynamic shapes for efficiency; smarter exteriors, that's smarter.

3.2. Research on automotive aerodynamics in China

Lately, in China's automobile industry has made big steps in terms of using fluids for the shape designs on outside of car, and there is a thorough inquiry which comprises both learning theories about it and putting into practice along with wise changes- making cars run better than before; use less fuel; put out fewer dirt. In terms of aerodynamic theory and simulation: Jiang Xianjun did numerical simulations and optimizations on sedan design; he set up a full simulation process, explained the effect of geometrical factors on the aerodynamics [9]. Kong Bin looked at body styling with aerodynamics, which gave a shape creation optimization system by fluid dynamic theory and kept the theory of shape production going [10]. With the advancement of CFD and computational power, it is believed that simulating and optimizing with standard formats will be a major study direction. Li zhongqu did parametric work on drivAer, studying what happens when

DOI: 10.54254/2753-8818/2026.DL33848

various body configurations and details change its aerodynamic properties so that it can be better improved [11]. Wei Wanli et al. also proved the validity of CFD method through mesh validation, turbulence models and boundary setting on same benchmark,consistent and dependable results are obtained, Chinese studies can also be compared with world benchmarks. And also in a new kind of Energy Vehicles, Yang Qianli made an Interior Resistance Lowered Electric single-passenger car and he successfully balanced Air Dynamic efficiency with beauty and functionality Fluid dynamics are driving miles [6]. The domestic makers have also accomplished major milestones in engineering terms: Li Bing mentioned that Yangwangu8 made some advances on aerodynamic. They combined the sketchy concept into CFD and wind tunnels tests, then modified the car body line, lower panel and active radiator shutters Also just like Fan et al, used simulations that made the front, rear and bottom of the DFNSSN7 run perfectly which made it more aerodynamic by lowering its air drag, so kind if they do collaborate there is much more r&d Above example also shows how the Fluid Dynamics would effect a actual Creation Vehicle which is the change in China's Designing method of feeling based exterior construct to Science creating.

3.3. Summary of current research trends

When it comes to cars' outsides, fluid dynamics went from just making the shape look better to actually controlling air flow [7]. Overall, current research indicates a clear transition from purely aesthetic vehicle design toward data-driven aerodynamic optimization, supported by advances in computational methods and simulation technologies. Jian Xianjun breakthrough was by computational methods in automotive aerodynamic, Kong Bin made it possible to include aerodynamic simulations into styling workflows and thus make harder simulations possible. In addition to this in terms of how they practiced and engineered it, DrivAer was used by Li zhongqu, Wei Wanli, for repeat optimizable structures. The actual vehicles such as Fan Xiangkun et al., on the DongfengNissan N7, Li Binget al. on theYangwang U8 support the fact that CFD is accurate when it comes to drag resistance. Kamal et al. links body vars w/ aero eff fr numerous veh categries. Industry will be even more dynamic [12], according to the recognition by Piechna it is necessary for variable aerodynamic characteristics. And it is added to Yang Qianli, compact electric cars work and making them have more fluids dynamic to the future of automotive.

4. Conclusion

In terms of the field of automobile external engineering, it can be said that CFD has become an essential tool, which greatly speeds up the process of improvement, saves cost and improves quality. Wanting accurate results from CFD needs good model road, right turbulence models needed, must do great mesh designing work, need real BC. For localized optimization analysis can be identified the key components of elements such as front bumper, side mirrors, under body, rear spoiler position which will provide specific instruction to engineer. And when it comes to electric cars, it is possible to integrate vehicle form with a small drag co-efficient. The Data driven Aerodynamic shape Optimization Using ai&ML it's new the Deep Learning model takes many different parameters as an Input but can produce Predictions regarding Aerodynamics Metrics in an Instant, also can tell you what would be overall best Design. Also, Active aerodynamic which use adaptable element such as adjustable grille and deployable spoiler(grille), it can make instant changes of airflow quality for balancing drag and downforce with different situation. At the end of the day,creating various interdisciplinary collaborations will push for more blending between styling,aerodynamics,structural engineering,and thermal management ,making vehicle assembly more systematic and intelligence.

DOI: 10.54254/2753-8818/2026.DL33848

References

[1] Kamal, M. N. F., Ishak, I. A., Darlis, N., Maji, D. S. B., Sukiman, S. L., Abd Rashid, R., & Azizul, M. A. (2021). A review of aerodynamics influence on various car model geometry through CFD techniques. Journal of Advanced Research in Fluid Mechanics and Thermal Sciences, 88(1), 109–125.

[2] Prabhu, M. S., Prabhu, K. S., Murthy, A. A., & Srinivas, G. (2025). Aerodynamic drag reduction in commercial vehicle using CFD-based design optimisation. F1000Research, 14, 821. https://doi.org/10.12688/f1000research.163917.1

[3] Wei, W., Wang, H., & Ding, L. (2022). Aerodynamic simulation analysis of automobiles based on the DrivAer model. In Proceedings of the China Society of Automotive Engineers Annual Conference on Automotive Aerodynamics (pp. 165–170).

[4] Fan, X., Yu, Z., Zhong, F., Na, S., Wu, Z., & Lu, Z. (2025). Aerodynamic development of Dongfeng Nissan N7. In Proceedings of the China Society of Automotive Engineers Annual Conference on Automotive Aerodynamics (pp. 87–101).

[5] Fallatah, A., Abaaltahin, A., Almatheeb, Y., Alharbi, B., & Redhwi, I. (2026). Aerodynamics of road vehicles: A comprehensive review. Engineering and Applied Sciences, 11(1), 41–47. https://doi.org/10.11648/j.eas.20261101.16

[6] Yang, Q. (2017). Exterior design of a single-passenger new energy electric vehicle. Master's thesis, Beijing University of Chemical Technology.

[7] Piechna, J. (2021). A review of active aerodynamic systems for road vehicles. Energies, 14(23), 7887. https://doi.org/10.3390/en14237887

[8] Li, B., Zhang, Y., Luo, Q., & Zhang, F. (2023). Aerodynamic drag development of Yangwang U8. In Proceedings of the China Society of Automotive Engineers Annual Conference on Automotive Aerodynamics (pp. 66–79).

[9] Jiang, X. (2003). Numerical simulation and optimization of automobile aerodynamics. Master's thesis, Wuhan University of Technology.

[10] Kong, B. (2008). Vehicle body styling design based on aerodynamics. Master's thesis, Wuhan University of Technology.

[11] Li, Z. (2022). Research on aerodynamic simulation and optimization of automobiles based on the DrivAer model. Master's thesis, Shenyang University.

[12] Piechna, J. R., Kurec, K., Broniszewski, J., Remer, M., Piechna, A., Kamieniecki, K., & Bibik, P. (2022). Active aerodynamic systems for road vehicles: A comprehensive analysis. Energies, 15(4), 1234–1256.